

NEO

Temperature & Humidity Sensor



www.airavat.io

NEO

PRO



NEO is a precise temperature & humidity sensor with Bluetooth 5.0 support.

With high quality integrated digital temperature and humidity chip sensor, NEO has advantage of long-term stability, low latency and ability to resist chemical contamination.

Usage Scenario

Smart Agriculture

Smart Cold Chain

Manufacturing

QSRs

Retail Industries

Pharmaceutical

Milk & Dairy Sector

Quick Commerce



T&H Sensor



Waterproof IP 63



Accurate



Long Range


Features & Specification




Precise temperature & humidity realtime monitoring



Ultra-low power consumption chipset



Compact Form Factor



Wide monitoring range



Provided with your own configuration

- Shell material: ABS
 - Size: 94mm*38mm*18mm
 - Battery: 3.6V 2600mAh ER14505 Lithium
 - Battery life: 4+ years
 - IP Rating: IP63
 - Sensor: T&H sensor : $\pm 0.3^{\circ}\text{C}$, $-40^{\circ}\text{C} \sim 70^{\circ}\text{C}$
 - Rechargeable: No
 - Powered by: ER14505 Lithium battery
 - Transmitting range: BLE4.0/BLE5.0 $\sim 100\text{m}^*$
 - Working temperature: $-40^{\circ}\text{C} \sim +70^{\circ}\text{C}$
 - Storage temperature: $10^{\circ}\text{C} \sim +25^{\circ}\text{C}$, $\leq 65\% \text{RH}$
-





VISIT OUR
WEBSITE

AIRAVAT



+91 78278 53201

WWW.AIRAVAT.IO

→ SHOP NOW

